coverguard®

TECHNICAL DATASHEET MO23276

Ref. MO23276

Non Reusable







FFP2 NR D





The +

Preformed design: fits with glasses or goggles to avoid the risk of condensation. The ergonomic form offers an optimal adjustment to the face, without nasal clip Exhalation valve: reduction of breathing resistance and avoid fog inside the mask.

PURCHASE PACKAGING

Référence Taille Sachet Carton 23276 12

SALES PACKAGING



Multiple

DESCRIPTION

FFP2 half-mask made of non-woven polypropylene with preformed shell and valve, external layer in polyester, PU foam nose seal, latex free synthetic rubber

SECTORS

Heavy & process industries

Chemical & pharmaceutical industries

Light Industries

Infrastructure, building industry

Construction - finishing work

DIY

APPLICATIONS

For occasional use in a very dusty environment. Protections against non-toxic solid and liquid aerosols, such as calcium carbonate, kaolin, cement, cellulose, sulfur, cotton, flour, coal, ferrous metals, vegetable oils and tender woods.

Textile industry, craft industry, metallurgical industry, mining industry, underground civil engineering, woodwork (strong woods excepted).

TECHNICAL FEATURES

Color White Color 2 Blue

Features Polyester / polypropylene SMS

Weight 10g

Shape Preformed shell mask with valve

Specifications FFP2 NR D

Harness features Synthetic elastic rubber (latex free)
Main risk Respiratory protection from aerosols

and low toxic dust

STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate 697918 Delivered by BSI Assurance UK Ltd (0086) Kitemark Court Davy Avenue Knowlhill Milton Keynes MK5 8PP United Kingdom



EN149:2001 / A1:2006

Particle filtering half masks

FFP2 NR D

RETAILER STAMP

MAJ 04/03/2021