

Ref. MO71950

Light

Head lamp

The +

- Resistance (bad weather, falls of less than a metre)
- Convenient (anti-slip, adjustable angle)

PURCHASE PACKAGING

Référence	Taille	Carton
71950		24

SALES PACKAGING

>1

Multiple



TECHNICAL FEATURES

Features

- BATTERIES: 3 x AAA
- LIGHT SOURCES: CREE® XP-E LED
- DIMENSIONS: 60 x 48 x 30mm
- WEIGHT WITHOUT BATTERIES: 32g
- LIGHTING POWER: 150 lm
- LIGHTING TIME: 8h00
- BEAM DISTANCES: 100m
- ANTI-SLIP GRIPS
- ADJUSTABLE ANGLES
- RESISTANCE TO FALLING: 1m
- STANDARDS: EN 60529 IPX4 + EN 55015 : 2013 +EN 61547 : 2009

STANDARD(S)



RETAILER STAMP

MAJ 12/02/2021

Челник

Челник

Предимства +

- Устойчивост (лошо време, падане от по-малка висоочина от метър)
- Удобен (противоплъзганещ, регулируем ъгъл на светлинен лъч)



ОПАКОВКА ЗА ПОРЪЧКА

Референция	Кутия
71950	24

ОПАКОВКА ЗА ПРОДАЖБА



За многократна употреба

ТЕХНИЧЕСКИ ХАРАКТЕРИСТИКИ

Характеристики

- БАТЕРИИ: 3 x AAA
- ИЗТОЧНИЦИ НА СВЕТИНА: CREE® XP-E LED
- РАЗМЕРИ: 60 x 48 x 30 мм
- ТЕГЛО БЕЗ БАТЕРИИ: 32g
- МОЩНОСТ НА ОСВЕТЕНОСТ: 150 lm
- ВРЕМЕ НА СВЕТЛЕНИЕ: 8ч.00 ч
- РАЗСТОЯНИЯ НА ЛЪЧА: 100 м
- ДРЪЖКИ ПРОТИВ ПЪЛЗВАНЕ
- РЕГУЛИРУЕМИ ЪГЛИ
- УСТОЙЧИВОСТ НА ПАДАНЕ: 1м
- СТАНДАРТИ: EN 60529 IPX4 + EN 55015 : 2013 + EN 61547 : 2009

STANDARD(S)



RETAILER STAMP

MAJ 12/02/2021