

PRODUCT DESCRIPTION

COS COVERALL

Material : 60% Modacrylic, 38% Coton, 2% antistatique

320  
g/m<sup>2</sup>



FIRE RETARDANT  
REFLECTIVE BAND TAPE




SIZE		40 / 42 S	44 / 46 M	48 / 50 L	52 / 54 XL	56 / 58 XXL	60 / 62 XXXL
COS COVERALL YELLOW	NAVY	8MCOCYS	8MCOCYM	8MCOCYL	8MCOCYXL	8MCOCYXXL	8MCOCYXXXL

PACKING



Individual  
Packing


X 10



10 Pieces In  
1 Carton



# DESIGN & TECHNICITY



### 1. Neck

- Mandarin collar fastened with press button

### 2. Fasteners

- Zipper fasteners & flap fastened with press buttons

### 3. Sleeves

- Long sleeves with cuffs which can be adjusted with press buttons

### 4. Pockets

- 2 breast pockets with flaps fastened with press buttons
- 1 inner pocket
- 2 back pockets with flaps fastened with press buttons
- 2 Italian pockets
- 1 cargo pocket with flaps fastened with press buttons
- 1 tool pocket with an opening of 7 cm and press buttons

### 5. Knee pockets

- 2 knee pockets with adjustable height and bottom opening

### 6. Tagging collar

- 1 tagging collar at the neck

### 7. Waist

- Elastic waist

### 8. Chest loop

- 2 chest loops above the breast pockets

### 9. Retro-reflective bands

- Fire retardant retro-reflective bands

### 10. Back

- Comfort gussets in the back

### 11. Seams

- Triple stitch seams with reinforcements points

### 12. Leg length



- Removable 5 CM hem

### 13. Icons

- Icons for the standards on the left sleeve

### 14. Markable\*

- Markable on chest pocket or back\*



	XS	S	M	L	XL	XXL	XXXL	XXXXL
	0	1	2	3	4	5	6	7
	36	38	40	42	44	46	48	50
	52	54	56	58	60	62	64	66
A	81	88	89	96	97	104	105	112
	113	120	121	128	129	136	137	144
B	69	76	77	84	85	92	93	100
	101	108	109	116	117	124	125	132
C	85	92	93	100	101	108	109	116
	117	124	125	132	133	140	141	147
D	78	80	80	82	82	84	84	86
E	5	5	5	5	5	5	5	5





The XMultiRisk is a range based on inherently flame retardant fabric, made of 60% modacrylic fiber, 38% of cotton and 2% of antistatic. This fabric has proven outstanding resistance to solvents and chemicals. The characteristics of this fiber offer a very soft handfeel as well as a resistant and dimensionally stable garments even after numerous wash.

## STANDARDS

This article is in conformity with the model of individual safety equipment which correspond to

**The CE Type-examination certificate n° 0161/4049/15**  
**Delivered by AITEX (notified body n° 0161)**

**EN ISO 11612 : 2008**  
**A1, B1, C1, F1**



- Limited flame spread = **A1**
- Insulation against convective heat = **B1**
- Insulation against radiant heat = **C1**
- Insulation against contact heat = **F1**

**EN ISO 11611:2007**  
**Class 1 – A1**



- (A1) against burns from welding and similar processes (**Class 1**) = **Class 1 – A1**

**IEC 61482-2:2009**  
**Class 1 – 4kA**



- Against the risk of burn provoked by an electrical arch = **4kA (Class 1)**

**EN 13034: 2005+A1:2009**  
**Type 6**



- Clothes standardized type 6 protect users at least cover torso and limbs = **Type 6**

**EN 1149-5: 2008**



- Against the risk of accumulation of electrostatic loads

**EN 20471:2013**  
**Class 3**



- High-visibility warning Clothing for professional use
- **Class 3:** Highest level of protection (0.8 m<sup>2</sup> fluorescent material , 0.2 m<sup>2</sup> retro reflective material)

**EN 14404: 2004+A1:2010**  
**Type 2**



- Mechanical protection for users working in knees position = **Type 2**



This model is in conformity with the  
**standard EN 13688 : 2013**

### Washing instructions\*:



\* Consult the manufacturer before any operation